Yakima County

Youth & Tobacco Data Summary 12th Grade

Year 2000

12th Grade Students Surveyed n= 1,099			10ai 2000	County %	State %
Female	12th Grade S	Students Surveyed	n= 1,099	100.0 %	100.0 %
Male 48.7 % 50.5 %	Gender				
Race/Ethnicity Students of Color White 50.7 % 78.3 % County %+/- Margin of Error Margin	Female			51.3 %	49.5 %
Students of Color	Male			48.7 %	50.5 %
White 50.7 % 78.3 % County %+/- Margin of Error State %+/- Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 559 18.4 %+/- 3.2 29.3 %+/- 3.2 20.3 %+/- 3.2 20.3 %+/- 2.5 27.6 %+/- 2.6 Total n= 1086 22.8 %+/- 2.5 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 559 3.9 %+/- 1.6 6.5 %+/- 1.7 Male n= 559 3.9 %+/- 1.6 6.5 %+/- 1.7 1.4 %+/- 2.3 Total n= 1085 3.1 %+/- 1.6 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n= 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n= 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 5.6 %+/- 1.6 5.6 %+/- 1.6 5.6 %+/- 1.6 5.6 %+/- 1.6 5.8 %+/	Race/Ethnici	ty			
County %+/- Margin of Error	Students of	Color		49.3 %	21.7 %
Past 30 days, youth who have smoked cigarettes at least once Female n = 559 18.4 % +/- 3.2 29.3 % +/- 2.5 27.6 %	White			50.7 %	78.3 %
Past 30 days, youth who have smoked cigarettes at least once Female n = 559 18.4 %+/- 3.2 29.3 %+/- 3.2 20.1 %+/- 2.5 27.1 %+/- 3.8 26.1 %+/- 2.6 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 22.8 %+/- 2.5 27.6 %+/- 2.0 27.6 %+/- 2.3 27.6 %+/-				County %+/-	State %+/-
Past 30 days, youth who have smoked cigarettes at least once Female n = 559 Male n = 527 Total n = 1086 Past 30 days, youth who have smoked cigars at least once Female n = 559 Male n = 559 Male n = 526 Total n = 1085 Past 30 days, youth who have smoked cigars at least once Female n = 559 Male n = 526 Male n = 1085 Rational n = 1083 Rational n = 1083 Rational n = 1083 Rational n = 1083 Rational n = 1084 Rational n = 1081 Rational n = 1081				Margin	Margin
## Temale n				of Error	of Error
Female			ked cigarettes		
Male n = 527 27.1 %+/- 3.8 26.1 %+/- 2.6 7.0 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n = 559 3.9 %+/- 1.6 6.5 %+/- 1.7 1.7 Male n = 526 12.0 %+/- 2.8 19.4 %+/- 2.3 1.4 1.4 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once 1.3 0.9 %+/- 0.5 1.3 0.9 %+/- 0.5 1.3 0.9 %+/- 0.5 1.3 0.9 %+/- 0.5 1.4 %+/- 0.9 1.5 %+/- 1.2 1.7 %+/- 0.5 1.7 %+/- 0.5 1.7 %+/- 0.5 1.7 %+/- 0.5 1.7 %+/- 0.5 1.8 %+/- 1.2 1.7 %+/- 0.5 1.8 %+/- 1.2 1.7 %+/- 0.5 1.8 %+/- 0.9 1.8 %+/- 1.2 1.7 %+/- 0.5 1.8 %+/- 0.9				18.4 %+/- 3.2	29.3 %+/- 3.2
Total n= 1086 22.8 %+/- 2.5 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once 559 3.9 %+/- 1.6 6.5 %+/- 1.7 Male n= 526 12.0 %+/- 2.8 19.4 %+/- 2.3 Total n= 1085 8.1 %+/- 1.6 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n= 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n= 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any to					
Female n = 559 3.9 %+/- 1.6 6.5 %+/- 1.7 Male n = 526 12.0 %+/- 2.8 19.4 %+/- 2.3 Total n = 1085 8.1 %+/- 1.6 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n = 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n = 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 559 3.9 %+/- 1.6 5.6 %+/- 1.6 5.6 %+/- 1.3 Male n = 525 7.6 %+/- 2.3 7.2 %+/- 1.3 7.2 %+/- 1.3 Total n = 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 556 2.2 %+/- 3.1 16.3 %+/- 2.3 Total n = 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n = 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n =					
Female n = 559 3.9 %+/- 1.6 6.5 %+/- 1.7 Male n = 526 12.0 %+/- 2.8 19.4 %+/- 2.3 Total n = 1085 8.1 %+/- 1.6 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n = 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n = 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n = 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n = 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 556 2.2 %+/- 1.2 1.3 %+/- 2.3 Total n = 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n = 556 20.7 %+/- 3.4 31.8 %+/- 3.2 <	D = -4.00 d =		had almost desate and		
Male n = 526 12.0 %+/- 2.8 19.4 %+/- 2.3 Total n = 1085 8.1 %+/- 1.6 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n = 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n = 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 559 3.9 %+/- 1.6 5.6 %+/- 1.6 5.6 %+/- 1.3 Male n = 525 7.6 %+/- 2.3 7.2 %+/- 1.3 7.2 %+/- 1.3 Total n = 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 556 2.2 %+/- 3.1 16.3 %+/- 2.3 Total n = 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n = 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n = 556 20.7 %+/- 4.1 31.8 %+/- 2.9 36.5 %+/- 4.1	-	· -	ked cigars at least once	0.0.0/ . / 4.0	0 5 0/ 1/ 4 7
Total 8.1 %+/- 1.6 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n = 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n = 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 559 3.9 %+/- 1.6 5.6 %+/- 1.5 Male n = 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n = 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 556 2.2 %+/- 3.1 16.3 %+/- 2.3 Total n = 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n = 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n = 523 36.5 %+/- 4.1 39.3 %+/- 2.9					
Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n= 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n= 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9					
at least once Female n= 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n= 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n= 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	lotai	n= 1085		8.1 %+/- 1.6	13.1 %+/- 1.4
Female Male n= 558 2.5 %+/- 1.3 0.9 %+/- 0.5 Male n= 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n= 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	-		ked tobacco in a pipe		
Male n= 525 6.5 %+/- 2.1 2.4 %+/- 0.9 Total n= 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 556 20.7 %+/- 4.1 39.3 %+/- 2.9				250/1/12	0.00/1/ 0.5
Total n= 1083 4.5 %+/- 1.2 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9					
Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9					
at least once Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	ıotai	n= 1083		4.5 %+/- 1.2	1.7 %+/- 0.5
Female n= 559 3.9 %+/- 1.6 5.6 %+/- 1.6 Male n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	-	· •	ked bidis (flavored cigarettes)		
Male Total n= 525 7.6 %+/- 2.3 7.2 %+/- 1.3 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9		-			
Total n= 1084 5.8 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9					
Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9					
(chewing tobacco, snuff or dip) at least once Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	Total	n= 1084		5.8 %+/- 1.4	6.5 %+/- 1.0
Female n= 556 2.2 %+/- 1.2 1.3 %+/- 1.0 Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	•				
Male n= 525 15.2 %+/- 3.1 16.3 %+/- 2.3 Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9			least once		
Total n= 1081 8.5 %+/- 1.7 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	Female	n= 556		2.2 %+/- 1.2	1.3 %+/- 1.0
Past 30 days, youth who have used any tobacco product at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	Male	n= 525			16.3 %+/- 2.3
at least once Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	Total	n= 1081		8.5 %+/- 1.7	8.8 %+/- 1.3
Female n= 556 20.7 %+/- 3.4 31.8 %+/- 3.2 Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	-		l any tobacco product		
Male n= 523 36.5 %+/- 4.1 39.3 %+/- 2.9	at least onc				
	Female	n= 556		20.7 %+/- 3.4	31.8 %+/- 3.2
Total n= 1079 28.6 %+/- 2.7 35.6 %+/- 2.1	Male	n= 523		<u>36.5 %+/- 4.</u> 1	39.3 %+/- 2.9
	Total	n= 1079		28.6 %+/- 2.7	35.6 %+/- 2.1

Source: Washington State Department of Health Tobacco Prevention and Control Assessment and Evaluation n = number of survey respondents for county.

* = Rate not calculated because number of responses was less than 15.

Yakima County

Youth & Tobacco Data Summary 12th Grade

10a. 2000	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life? None 1/2 pack or less 1 - 4 packs 5 or more packs	n= 1074 40.5 %+/- 2.9 31.3 %+/- 2.8 12.7 %+/- 2.0 15.5 %+/- 2.2	40.5 %+/- 2.1 23.9 %+/- 1.8 11.6 %+/- 1.4 24.0 %+/- 1.9
Do you want to stop using tobacco right now? (among current tobacco users) Yes	n= 251 46.6 %+/- 6.2	63.6 %+/- 4.2
Have you ever participated in a program to help you quit using tobacco? (among current tobacco users) Yes	n= 280 7.5 %+/- 3.1	4.2 %+/- 1.6
During past 12 months, did you ever try to quit using tobacco? (cigarettes, cigars, or chew/dip)(among current tobacco users) Yes	n= 291 50.5 %+/- 5.7	63.9 %+/- 4.8
Do you think you will smoke a cigarette at any time during the next year? Definitely no	n= 1086 52.5 %+/- 3.0	51.8 %+/- 2.2
If one of your best friends offered you a cigarette, would you smoke it? Definitely no	n= 1084 56.2 %+/- 3.0	56.7 %+/- 2.2
Susceptibility Index (combination of the previous two questions, either of which receives any answer other than 'Definitely no') Susceptible	n= 1086 51.2 %+/- 3.0	50.1 %+/- 2.2
If one of your best friends offered you a cigarette, would you smoke it? (from among youth who did not smoke in last 30 days) Definitely no	n= 833 72.1 %+/- 3.0	76.9 %+/- 2.0
Do you think the smoke from other people's cigarettes (second-hand smoke) is harmful to you? Definitely yes or Probably yes	n= 1084 93.6 %+/- 1.5	92.9 %+/- 1.4
Do you think it is safe to smoke for only a year or two, as long as you quit after that? Definitely no	n= 1083 62.7 %+/- 2.9	64.3 %+/- 2.1

Yakima County

Youth & Tobacco Data Summary 12th Grade Year 2000

	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= 1075 39.3 %+/- 2.9	40.4 %+/- 2.1
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= 1076 11.7 %+/- 1.9	20.0 %+/- 1.7
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days	n= 987 34.9 %+/- 3.0	34.5 %+/- 3.3
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days	n= 984 22.5 %+/- 2.6	25.2 %+/- 3.1
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= 1082 11.3 %+/- 1.9	14.8 %+/- 1.5
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week	n= 1082 72.2 %+/- 2.7	73.2 %+/- 2.0
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong	n= 1075 31.7 %+/- 2.8	25.9 %+/- 2.0
If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard	n= 1076 12.5 %+/- 2.0	9.6 %+/- 1.3
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= 1084 58.2 %+/- 2.9	63.8 %+/- 2.1
Does anyone who lives with you now smoke cigarettes? Yes	n= 988 32.8 %+/- 2.9	36.4 %+/- 3.4